

ATB BOARDING

Document Number AEA5_01.DOC

Last update: 26. February 2009



Copyright© AEA/TS 2008

Abstract

ATB BOARDING

Revised:	11 December	1987	Rev. 1	
	27 January	1988	Rev. 2	
	22. March	1988	Rev. 3	
	04. May	1988	Approved	p.8, p.9
	03. July	1990	Modif..	for ATB 1
	15. April	1991	Rev. 4	p.9, p.10, p.12
	18. September	1991	Approved	p.5, p.6
	01 March	1993	Rev. 6	p.2/3/4/6/7/8/9/10/12
	21. June	1993	Change	p.11
	21 December	1993	Approved	p.2, p.4, p.7, p.8
	01 October	1994	Approved	p.2
	06 June	1995	Rev. 7	P. 3/4/5/6/7/11/
	06 November	1995	Approved	
	21 st .June	2006	Rev.8	RC command added, MG commands added, BCRI added, PROK updated, CC command updated
	11 th December	2007	Rev.9	TO command added, barcode processing added in chapter 2, MG#B# added
24 th August	2008	Rev.10	ES, EP, T2, TV command added, RCOK updated, RI added, various corrections in example messages	
2 nd Ocotber	2008	Rev.10.12	Receipt Printer handling added 4.3 (AR,RD,CC, ERRR), TVOK updated, 3.21 updated, EP changed 2.3, 3.22.&3.23&3.24 updated added 2.3.8. barcode conversion, 3.7 added, 4.2.8 updated, RI with Fonts, RC with fonts, EP BEEP mode added, various corrections, RI new items,Typos / index corrected	
26 th February	2009	Rev.10.13	RCOK (3.20) with Receipt printer updated, 2.3.1 AR mode – Note added, some formatting	

This document has been produced by the AEA Technical Group (ATG):
AIR FRANCE, BRITISH AIRWAYS, KLM, SAS, LUFTHANSA, SWISS AND BRUSSELS Airlines

Table of Contents

1. Introduction.....	1
2. Method	2
2.1. ATB handling (magnetics)	2
2.2. Barcode handling	3
2.3. Environment handling for BGR's with barcode option / receipt printer.....	5
2.3.1. Receipt printer modes.....	5
2.3.2. "BGR (barcode) Environment" status request for current values	6
2.3.3. Example of a full response on a BGR (barcode) Environment status request	6
2.3.4. "BGR (barcode) Environment" change request	6
2.3.5. Example of a full response on a BGR (barcode) Environment change request	7
2.3.6. Example 1: error response to a BGR Environment change request (invalid keyword)	7
2.3.7. Example 2: error response to a BGR Environment change request (invalid content in keyword).....	7
2.3.8. Example 3: error response to a BGR Environment change request (invalid content in multiple keywords).....	7
2.3.9. BCMODE "CPNI" explanation : Convert barcode data to CPNI	8
3. Messages from the Boarding Gate Reader to the host.....	9
3.1. Example of message 30 (boarding msg. composed from mag data)	10
3.2. Example of message 3 (doc. manually ejected).....	10
3.3. Example of message 4 (illogical command).....	10
3.4. 1st example of message 5 (illogical data field)	11
3.5. 2nd example of message 5 (illogical data field)	11
3.6. Examples of message 7 (unsuccessful processing)	11
3.7. Examples of message 7 (unsuccessful processing BCRI conversion).....	11
3.8. Example of message 8 (PECTAB not available).....	11
3.9. Example of message 22 (boarding in progress).....	12
3.10. Example of message 9 (document processed)	12
3.11. Example of message 11 (document ejected)	12
3.12. Example of message 12 (doc. ejected + buzzer).....	12
3.13. Example of message 13 for function Close Boarding	12
3.14. Example of message 13 for function Flight info + Pax list.....	13
3.15. Example of message 13 for function Cancelled Pax	13
3.16. Example of message 13 for function Message for Pax.....	13
3.17. Example of message 13 for function Transit Pax.....	13
3.18. Example of message 13 for function Deboarding	14
3.19. Example of message 41 (boarding msg. composed from barcode data).....	14
3.20. Example of message 45 (gate reader configuration)	15
3.21. Example of message 46 (agent display message processed)	15
3.22. Example of message 48 (Time out value setting processed).....	16
3.23. Example of message 50 (scanner cool down time value setting status or message processed).....	16
3.24. Example of message 50 (scanner cool down time value setting not applicable)	16
3.25. Example of message 52 (scanner barcode head firmware revision).....	16
3.26. Example of message 54 (Device information)	17
3.26.1. Example 1 of message device information response.....	19
3.26.2. Example 2 of message device information response.....	19
4. Data messages from host to Boarding Gate Reader	20
4.1. Boarding list and flight info.....	20
4.1.1. Structure of message 35 (for illustrative purposes only).....	20
4.2. Boarding command messages from host to Boarding Gate Reader	23
4.2.1. First example of message 14 (encode + green light).....	24
4.2.2. Second example of message 14 (no data)	25

ATB BOARDING

4.2.3. Third example of message 14 (boarding of a barcode document)	26
4.2.4. Example of message 17 (red light turned on for barcode document).....	26
4.2.5. Example of message 16 (red light and buzzer activated for barcode document)	26
4.2.6. Example of message 44 (Agent display message command)	26
4.2.7. Example of message 44 (Passenger display message command).....	26
4.2.8. Example of message 44 (Passenger & agent display message command)	27
4.2.9. Example of message 47 (Time out value setting).....	27
4.2.10. Cool down timer status setting	27
4.2.10.1. Example of message 49 scanner cool down timer status.....	28
4.2.10.2. Example of message 49 scanner cool down timer setting	28
4.2.11. Example of message 51 scanner 2D head firmware revision status request	28
4.3. Receipt printer handling for Boarding Gate Reader with Receipt Printer facility	29
4.3.1. Output example (receipt document RPMODE=CC or RD)	30
4.3.2. Receipt print handling RPMODE=CC	30
4.3.2.1. Receipt print message from host to Boarding Gate Reader with Receipt Printer facility (RPMODE=CC)	30
4.3.2.2. Boarding processed and receipt printed OK message (RPMODE=CC)	30
4.3.2.3. Boarding processed but receipt not printed OK message (RPMODE=CC)	31
4.3.2.4. Boarding Process not successful and receipt not printed message from Boarding Gate Reader with Receipt Printer facility (RPMODE=CC)	31
4.3.2.5. Shutter / scanner handling	31
4.3.3. Receipt print handling RPMODE=RD.....	32
4.3.3.1. Receipt print message from host to BGR with Receipt Printer facility.....	32
4.3.3.2. Receipt printed OK message from Boarding Gate Reader with Receipt Printer facility	32
4.3.3.3. Receipt not printed message from Boarding Gate Reader with Receipt Printer facility	32
4.3.3.4. Shutter / scanner handling	32
Annex A : Summary of BGR Messages	33